1877
(L.R

F.6. No. 26/1877
Secl. No. 1-6.

Sub: Repairs to gothigar Tank

Land Rev: File No. Lb. of 1877.

Sls 1–6.

Repairs to Gottigere Tank.

Entered 2/8/77

1877-78

No. 2119

Name of Petitioner. Patel Boregauda Vanje Gauda and others ryots

Village. Dabbegatta Hobli

Taluk. Kadaba

District. Tumkur

Date of Arzi. 26/7/1877

Date of Receipt. 31/7/1877

Date of Disposal.

No. of Enclosures. Gone.

Ent'd 4.8.77

ABSTRACT.

State that the Gotikere tank which was this chief source of water supply was breached on the 4th June last owing to the excessive flow of water from 8 tanks of the Channa-rayapatna Taluk — breached by heavy rains. The Gotikere tank was under repairs for 8 or 9 years and the repairs cost the Govt 17 or 18 thousand rupees. With the hope of carrying on wet cultivation in the lands below the tank after the completion of the repairs, they were paying the Bengar† rate of assessment for these lands. The tank being now breached they can no longer pray the Bengar rate of assessment. But if an endorsement be granted to them on this Petn — stating that the tank will be repaired — they will pay the

† Bengar = half of the wet rate

rate of assessment for these
lands. If the tank cannot
be repaired soon they pray
that the dry rate of assess
ment may be fixed on their
lands instead of the wet
rate.

P.P.

C.K. Srinivasa Iyangar.

[illegible]

[redacted]

7/7/77

IN 2119
RECEIVED 7-8-77

Not stamped

Petr must produce the several inds referred to them

[illegible]

Send this Petn to Engr & Surveyor & report by receipt hereof

[illegible]

Endt 16.5.78

1878-79 1104

No. 971

Name of Petitioner. Bore Gowda, ryots of

Village. Dabbe Gatta hobli

Taluk. Kadaba

District. Tumkur

Date of Arzi. 4/7/78

Date of Receipt. 8/7/78

Date of Disposal.

No. of Enclosures. None.

ABSTRACT.

Referring to this office indorsement No 219 of the 6th August last, petitioners complain that, in reply to their Arzi noted in Endt No 75 of 10/8/77 the Supt of Irrigation stated to them that the subject of repairing the tank of Gotikere tank was under consideration, in Endt No 35 of 8/9/77 the Dy Comr directed them to address the Hemavathi Divn Executive Engineer - which officer was accordingly addressed but no reply, in Endt No 851 of 30/10/77 the Comr informed them that their Petn No 8906 was forwarded to the Dy Comr for early disposal, in Endt No 132 of 8/1/1878 the Dy Comr informed them regarding the Arzi to the address of the Comr, that this Arzi was forwarded to the D.P.W. with a view to the tank being repaired by the D.P.W., and in Endt No 6 of 25/2/78, the Hemavathi Divn Executive Engineer directed them to address the Tumkur Dist Dy Comr, on the subject.

The tank in question being the chief source of water supply to 15 villages Petrs and others are subjected to much distress as the tank had not been repaired yet. If the tank be ordered to be repaired 300 Kandies of land can be brought under cultivation, and Petrs, to whom the Relief Officers of the Taluk granted rice can thereby earn their livelihood.

Therefore Petrs beg that order may be issued to repair the tank

[illegible]

8-1-78

No. 971

I

To

The Kandyan Commr

Dl 19th Jany 1878
Desp

Dupt gl No 1260
7th 113

Forwards for enquiry and disposal Petition No 991 of 4th Jany 1878 from Boré Lowduk & other Ryots of Dubbegatta Hobli, Kadaba Talk.

No. 1260
40 113

Mysore Chief Commissioner's Office.

Official Memorandum.

The accompanying Petition No. 971, dated 4th July 1878 received at the Chief Commissioner's Office from Doré Sowdale, and other Ryots of Dabbegatta Hobli, Kadaba Taluk

is forwarded, ~~together with its~~ enclosures to the Commr of Mandydroog Division for enquiry and disposal, and for report, if necessary

BANGALORE,

19th July 1878.

"By Order,"

Secretary.

1
P-11

Gc No 1000
7 10, 1878. No 116½.

From Executive Engineer
Rameswaram Div

To

Secretary to Chief Commissioner,
General Department.

Dated 15 August

Despatched 16-

Received 17/8 Elliott.

Read

ENCLOSURES NO.

General No. 1175 } 1878—79.
No. 23

Sir,

With reference to your office Memorandum No 1760/113 of the 12th Ultimo forwarding for inquiry a Petition from Arafonda and other Ryots of the Dottegutta Kadaba Taluk, I have the honor to state for the information of the Chief Commissioner that from a report received from the Deputy Commissioner & Tuncdar it appears that as a Relief Work the Tank repairs alluded to by Petitioners, are unnecessary and as a Tank project, the Superintending Engineer

May Govt informed that the Tank project cannot be taken up at present

19/8/78

Sir Pet[n] Mat to their petition No 2119 Rec[d] the Bank on Check 18.000 Rs or so much thereof as may be required to Expend in repairs breached in Last Jan. and Rec[d] from 300 Kandies of land on their Tanks out of Cultivation - The Comm[r] to make a Report more fully on the urgency that the Department expenditure may be felt in Repair of the Tank

19/8/78

Engineer is not prepared to take it up at present.

2 The enclosure of the Memorandum referred to is returned.

I have the honor to be
Sir
Your most obt Servant

1878 No 46

1
I—11

To

The Commissioner
Executive Division

23rd August 1878
24th
5th October

No. 4125
G 48

Requesting the submission
of a report on the necessity
of repairing the Gokteik
Trestle in the Kadaw Dist.

No. 4125
4-48

Read Nandydroog Coml.
Docket No. 230 of 15th Augt
1870 reporting on the Rpt
of Patel Bore Sowdah and
others Ryots of Doddagalta
Hobly in the Hadaba Talut
complaining of the Tank
Bund having been breached
last year, and praying for its
repairs.

Order thereon
~~The Collr. Comr. observes~~
~~that~~ The Rpt. states that
the Tank in question on
which 18,000 Rs of Do was
previously expended in repairs
breached in June last year,
and that some 300 Candies
of land are thro' thrown
out of cultivation. The
Comr is requested to report
more fully on the urgency
~~that in the Deputy Comrs.~~
~~opinion may be felt for~~
repairs of the Tank

Receipt of
3

22

To the Comr of the
Nandydroog Dn

Secretary

1878.79 154

From The Commissioner
Nundydroog Division

To
Secretary to Chief Commissioner,
Buster ~~General~~ Department.

Dated
Despatched } 2nd October 1878.
Received 3/10/78

ENCLOSURES NO 1

General No. 301 } 1878—79.
No.

Chief Commissioner's Proceedings No. 4125/48 of 23rd August last, calling for further report as to the necessity of repairing the Gottigere tank in the Kudal Taluk.—

—o—

In reply has the honor to forward copy of Tumkur Deputy Commissioner's letter No. 514 of 24th ultimo furnishing the information called for, and to state that the Deputy Commissioner has been requested to expedite

1
I-11

To Buster.
3-10-78.

The further report promised may be awaited
5/10/78
5/10
Manager
Nundydroog
7/10

= pectite the submission of the promised further re=
= port on the work and state of the surrounding
villages. ——

Commissioner